





Since many of the items lack a specific page number, the page number displayed online refers to the sequentially created number each item was given upon cataloging the materials.


















Humiles Herringae d'fasae · hamfoleae branklise\_ · my rofferme. A Leioskerme 9. InTegrifliae « glabrae annuae 1. Elocellata Sunxfils. 1 Challeman 2. E. polygonijski di Sum. bor 3. E. petaloriden Guter. bon, occident. O 4. P. ammannivides HOSK Am tropie-0 5. E. emarginata Klobsch Mss. Smil 1. E. Geyen' ligelen Allehor 7. C. cordifolis Ell. Am. bon. 8. C. serpens Hak. A. for & austro 9. S. serpyllifolei bei ? Bud. ornident 10.8. Mistigmality ny. Mexito 24 11 E. albomaginet, Tomby. Am bow. My 12. E. orbiruleta HOSK Bugota 24 B. puberruter purans onn; 13. 8. cinerascens u. sp. M. Mex. Calif. 7.

14. Entomentella n. sp. Mexiso 7 15? E. nummelanin Hook for Gallapago 6. Serratae 1. subserratae 16. E. Peplis Li Europ auth O 17. P. humifusa Urlld Asia Libijal.

D. serratae o 18.1. scabrella u sp.? Madres 0 19 l. Semila usp. M. Mexito 0 Bolive, subiategne, Julile vojume - Allylika 20. Erentuur alordes HOSK. Awana 6 21. 5. polyraspa Death Restro 22. L. Setitoba Fonsp. Sonom O S. putirose 23. P. pulisalosam. Sp. Mexilo GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



C. Ilegatospermae vil undelate Comoslemae a integnifolise 26. l. floribunda n.sp Mexiko 27. E. umbelledate u.s. Mexito 28 l. astyla usp Mexiso 29 C. Glabersima Aldyn Mrs Mexiso 30 l. Shipo septella nop. Chili 31. E. neuwa, Hook, Gellepago, ? O 32 l. corrugale usp. Ile de Jaleya 33. C. Livida P. Meyer Mrs C.W.Sp. 80 34 E Kend Cen Towa In Texas Mexit 4 35 Evolute nish. M. Muyst O 26. L. Shytisperma usp. Cheli 37. 1. Ambira Hochest. Ms And. 0 4 28. S. Sonoriens is asp. Sonor (3) 39. S. pedstulifera nop. Sonom O Cor B. Demlee 40. anotate nop. Auboroccid O



41 C. Novahollandson 18h 12 C. inaequilaten Sopper C. B. 6 43.1. Milaginion Allig andri Pro 46 C. D'ynama nop. Indoccio) o 45 l. glypto sperma ng, Andor O 46. 1. polyonemordes Hochst, ind. Or GEORGE ENGEL ST. Suber of S. puber of Spiles 47. E. Chameryred; anopa 18. Edgress gay. Chilis Conflow. 39 Petersi n. Mogambig. St. C. prostrute At. Auch 52 May milotin Li Indom O 52 S. Machalla Lin Son 6 SJ. S. humistrates lagel. Au bor O St. P. grisen h. Sh. Mexito st Pobsrum usp. Mexiko Sf. S. stirto spor ug Ambor om. O 58. C. pilosala nop. Mux1- 4!

bø. l. Megeniaaa kl. 12. 6. Svillifern Scheele Zexa, My 0 62 l'élitables northe Mexiso (0) 63. S. Dirina HOSK, anreps Delh. 024 64. Convolvalendes Hochet. Contof Or Of. P. Tellensis Kl. Mogan by G. P. Stordfole, Jug. Aprila 66. P. vaniegats Ay & lotte. 67. S. cristate Roth Mation Majores, plenungue erectue. I grandfolene saepe longi folice sun magnofason a, dans gathe, fol. 14tegn. s. substy sem. murgnis, 68. C. Cacrorum Mark ined. Odnist 4 lg. E. likearis Lan Sal. ooris # 70. [ baxifolis Lan 20 oond 21 th 71 ( Caevigate Well dry, w. or. 24 72 C. Fri newin Schwarz Africa 34 73. 8. Olfersians Kl. Dragil 24



74 l'Aluigiana Al mess Chili 0 ? 243 75 E. S. Catalis Cowless. Fexa, nMy. 24 76 C. acouté nop. Texa, n.My 77 C. augusty hope Toxay C. Cordatae glebenne pl. gleben. 78. C. sotund folis book a Am. Chiliff 24 79 C. mananens us hop. In. Munic to? 20 l. Depper " sp. Celiforni. A 81. 1. cordate Megen Sandwich To 21. simtar 92. C. onganorde jon Agrension of ). Mysti formes gnas police 2. Cymos, sem may. s. pans. leev. s. exsonly 83 l'elusivefole; AKA: Survich To 84.8. multiforming gund de Swith to 85. S. Chamissonis usp. Mulgrave 7 86. 1. Atoto Fort. Otahniti to 27. 8. my Tri blei Hook Werm GEORGE ENGELMANN PAPERS

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

p. liteletin. I sem. undlit, saege obscaris 88. C. Sanguirrea Hochel a Stew. Arbig O 39. 8. jatermedia Hochet. Alegonia O 90. C. hortensis n. Sp. Patris? C. 91. C. hypensifolis Li A. Ap. A. O van lassioranje 20. 92 S. Cahieusis Millohub A aut 04. 93. P. Sellovi n. 1. 1. 1. 4 94 C. Wichellis Hook & Am. Ching O 95. Epaniflon Lin Judh or. 0 96. L. Bertinana Ball. Ind. our O 97 Epilulifen Lin As. A. O f. By manthemer. fl. termin. rongest. publice subservat, glyptosper. Juga florida S. H. promani appt, 98. C. norca Ach. Bud on 99 1. Gund Thand usp. In. Maring 100 8. pyrnautteema usp. Sonon 4 107 P. villigen hehaver? My


102. E. villos ssima De. Amsil 4 100 Capitellets usp. Lonon O 9. Marrospermen, somhe 2. sobgleben, longiful i Dubsemy Dua. as first D. Rostif. magn 104 f. exitipulate ny. Milley O 104. E. flonde usp. Inom O 105. E. Kustysperma nep, Some O 106 1. Unreolate usp. Inom 0 10%. L. exstipulate asp. MMex O 2 h. Sasiflone 108. E. Casifloon 11 5/. Smil GEORGE ENGELMANN






pedill. majo. Afterna alter Flor And Clane 371. E. Chameeryn

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved



MISSOURI BOTANICAL GARDEN

copyright reserved cm



0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

begoninefolia Lehm ind. hort. Hamb. Berteriana Balb in Spr. Syst III. 794 Best of: Nov. Com. Bon. VI. 434

Besteriana J. gry mss - hb. chili : E. depressa Cl. gry non For. birephala Bestel nov. com. Bon. VI. 435 t. 23.2 origanoides Ball non Lingo bifida Hook & Am Bot. Beechy p. 213 Chiha Bottae J. Gay mes. i. hl. Aegget & And. Brasiliens is Laun Enr= 2. p. 423)

- Hb. Monac. = pilulifera = E. hypenirifollia Burmanni Meger C.C. Sp. ed Euph. vartoide ag quaedaur !- Burmanniana J. Gag Ind or & or etr. - they misole B. L. Buxifolia Lam. Enryol. (1786) = glabrata Vall on timor [3 polaris Joeff) !- Caerorum mant Hand med kouron Brusis fab. 73. ind. Calliadena usp. Highegg Keshiner - 46 V.

- callitrichordes HOSK n.g. sp. II. 42 Am. aust - prostnitus

Callitrichordes HOSK n.g. sp. II. 42 Am. aust - prostnitus

Chlecht. - Linn. 5.82 - 14. Schied - Burnaumiana

YY, 777 callibrickordes Schauer i Linnea XX p. 727 mexito : d'inca ? canalirulata Persoon Syn II.13 = nuda Lam. eur. Cartigen (Pers.) - canescons Li Chamesgre L. B. = prhlifern MISSOURI BOTANICAL GARDEN capitate dans enc. - capitellala lag. Sonora !- cassioides Trest Bot Demerk. p. 119. Dons. -

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

- Chamaergre L sp. pl. 3516. --- Roxh. Al Sud. St. 473. Denth. pl. Hartw . 33 is a mig. - Linnaea 21. 474 = E. prostrets. it albornagiaate cheirolepis Fisch & May ap Marelin Chum pt. Turrom. Bull. Sor Mat. Most. 1839 chimis nsp.

Line Flor Noss. It p. 558 p. 177

cineras rens & = melanale Mex. Dunge rel Lehm p. 491 (1851) coccinea North Sietnik Synops. 1852. V. 315 Ind confusa Dapan in Martins pseudochamosper V. 215. !- convolvalorites Hochst. is school Hook fl. Nig. p. 499 wrlp Ann III. 358.
!- cordecta Mayon Rise I 150, Kesty Month, Cas Leop. 1843 p. 412 Sandriking - cordifolia Ell M. II plost Southern States Coulteri n.sp. Sonom, Coulter N. 1449 crassipes. KC. mi. i hl. Derol. Muxiro cristata #8 Roth Ind. or. p. 226 Siet Syrops. V. 315. = white . cruenta grah. Wint. Soum. fir Mently nominalature cuspidata Bestol. nov. Com. Bon. 6. 433 tab. 22 hypericifolia !- Decumbers will hb 9282 Inti-or. = hyperofoli?

[ pullifera file Jan.)

[ provention of Jan.) ! densiflor Keolich in Lanaea vol IV. p. 359 Mexilo. ... Depressa Tom An. 19pt = maculata L. Série . 1 Depressa Cl. Jag St. Ohil V. p. 336 = notundifolis Hook & Am. Forske H. aug. amb 1775 p.93, Alxandria Aleplis

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

didynamia E. Indoct. Diffusa Hook fil. Transact. Lin Lor 20. p. 183. Well Ann I. big Allemy Dilatata Low off. M. Mexico Flitate Hochit. - Nich. fl. Abys. E. Kunthiana nunrupanda - Fision HOR. n.g. sp.tt. 43 polices E. Kunthiana nunsupanda - Disticha u. s. Hige 3649 - 46 V. Domingens is Spr. - hyperitifolis fol. linear faloat. elegans Sproge Syst. = variegate Astt. Citarian : ammannsole, ? !- emarginata Kl. mss. - hb. Berl. Bril ! exstipulata E. M. Mex. Fendler Tom & Gr. Tran, 11 Muy.

Finds ata Reichenli Ath. Dietrich Syrops 1852 V. p. 315

Finds ata Reichenlich Scheile - Siem 1822

Lierandis h. p. mixir. Siem 1822 = E. seppens Men custo Cumana mexiso ! m floribunda E. !- florida E. Sonora !- Torskåli Jag Phytogr. Canar III. 240

Lorskåli Jag Phytogr. Canar III. 240

E. thymipolea Fork figilis Deris - Schit. = Forskelis s. M. Rothy 443 Jandich grög n.m. marian He. Leem. bol. Herald p. 101 !- glabonta Sw. Trod. 1788 Jad over & Am. and = buxifiles Lam. glancestens H6. will 9289. = E. Blabouta. E. Kleining Schlecht. mm Ind. on glacerophylla Pers Sogn. A. 13. (1807) Africa, Senegel - Soir Sict. Suppl 2. p. 6/3
- hyperinipleis file Hook = Kolody 394
- Foir Enry Suppl 2, 6/3 across to Vally de Dermine tis Kloboh

MISSOURI BOTANICAL cm copyright reserved GARDEN

E. Trinervia Schum.
2. Thomas. glacerophylla Pieb. pl. exsier 1. globalifern HOSH. 19.5p. tt. 45 pilalifern Cumuna Jegsto sperma [. Jegas Kansas goeringii Sleed pe. goer, Japon no 44 = humifin wiled Dostonia - Goliana Law eur. II., 423 - granulata Forsk H. aug. ant. [1775] p. 94

1- grisea & Mexico. mexico. mexico. ! - halophila Mig. i Pl. Hochst. Ind. or. No 725 lacoigat? !- herniarioides Natt. N. Ah. 1834 serpens #60M Heyriana Spr op Sietrich Synops 1852 ini crophylla North
hirst pl.: hb. momente, 3510

hirst pl.: hb. momente, 3510

hirta Line pilelifera L.

Tenge: R. Klade N. nordrifolia

Hooken Hend was lasiorana S. myrtifolia H& A. non Lin Hockeriana 1904 ms. = polygorifolia Hook non La (= notata)

Higgliana nip Himley- High 653 HV !!) = indinata

humifusa W. hb. 9283. (no lordity given) = pseudochamiesyre !- humistrata 2. - grag Man. 1856. Messissippi - pyperirifoller Li sp.pl. mo 3508 2. hyssopifoleg Lis sp.pl. 3512. America

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

inaequalis till mis. 2 Divira 2 mex. inaequilatern Sonden i Linnaea 23, 105 1850)
incise # sp. Chili
incise # 15. Chili 7 instinata Host Carlson tal. & Acht Artal

Signs a Counch? its medislant Artal = pibilifern fir Klefs indira, Sæn Car. II. 419 = !- intermeden Hochet & Mend. i Sched pl. Abgs. E. Kleinin Schlicht. - hl. Wille. glærresnen H. Wille. E. Klotzschiana Miguel Strop Saninam select. 95 tot 28.

Baking for Dais of the Dais in the Minister (Hobbins) E. Kunthriane nomer pro l'edicion propositien Caevigata Lacorgata Vahl Synds 2 p. 54 (1891) Lad or = S. glacerophylla lavighta Lam Ent. 1821

Caevis Poir Cong - Suppl. 2.612 - lawight whl!

Caevis Poir Cong - Suppl. 2.612 - lawight whl!

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Caevis Poir Cong - Suppl. 2.613 - lawight while

Ca Casio carpa Klobih. Nov Art Leg Co-1843, hyperirifolia van Leptornemis hb. Mart. = hypersiplia van 1214 Parala. 14. 135 (1866) leccanthe Ml. ms. is he. Dist. Mexito Cencophylla Buth. Bot hulph. p. 49 South alifori.
Cincarifolia Roth Ind. or. p.224

- Linearis Ref Obs. 3, 32 (1788 p.d. orail. / tz 18-20 petilis!) ! Citorabis HOOK n.g.spt.43 = glabrata Ju Cuman ; livid \_ E. mey \_ C. G. Sp.

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

Ambor mich & Porch = hypertifica meaulete Poll, fl. van. It. 28 = hyperirifolis - maculata Lin Sp. pl. 3509 - Thadaganarieus is usp. Boivin Madegasser HV. (menhyperistol Magdalenne Beuth. Boldaph. p. 49. Celej. inf. malachophylla Clark, Sebrich Syn 1852. V. 315. Copp. = Chancesyre maritima North M. Ak 1874

— will hb 9293 = citonly Hurth = buxiples Law

Massiliens is L. Panis = ammannioides Chamaesyre melanadenia Foro i whippe. Dec. A.A. IV. 135. = villosissima fle monten les mexiciana Kl. ms - Ht. Dul ! Mayeniana Kel. un HE. Det. i Nov Act. Leon Car. 1843 p. 414 Pen.
! mi crophylla lam en F. p. 423 = thi-pline to Ind. or the wint

- 14. Willo. 9276 Ank Amer. = Burmani

Roth find. or p. 229-1821 on = Heyniana Sury serpen Lægelen i Sched. - Serpen, modesta med mys Daho - hb. Moner Dahia = E. Divira murronata will hb 9284 Brasilis = hyperistolis with https://www.mulliflome Hb. Will 9291 melliformis gaed. in Beggr. lbg.

× Hook VAM Dot Deech 95 Oaku

- myrtifolis Hook v Am. Dot Deech 95 - Oaku

myrtifolis Lam = P. Sta Hurt Hyonalordes, Cumpan) migstillaides Schleiht. - hb. will 9289 = glabrata for Climana nana Kl. m.s. : Mb. Del 2 basiflorn E. Bril nilagirien mig. i M. Hochst. Ind. or. No. 1128 = inaegisten To noviflora Stend. = E. vertirilleta flor. flam. = pidulifem pide Klofsy

MISSOURI BOTANICAL cm copyright reserved GARDEN

6462 Kausas et ! notata lag. - nova Hollandia E. Altho. Holl. Find. Damer itt. UNDE. (the former = inequilation Pers for Pers. nun mularia Hosh fil Transact Lin Soc. 20p. 183. Gellapages welp. Ann. I. 619 ? nutaus Legar.

! Obseur n.sp. Mexiso (n4 29.6.)
! — oblignifolei Kring. pl. ofen auch uss. Chili = Poeps. Sian 553.

Ho V. at = man siplicity. !- ovellata som & Hilg. Calif. e ordlate nutt. vas. Erlifon. = polgrage Duth orginoides Hook & Am. Bol Buel. non Lei. Ssira Olfersiana. Ill. mes, i hl. Bul. Bril ophthalmira Commers in 16 fees. Pers, Propost 1807.

!- orbioulata Hosk (Am. austr) Nor genesp. #. 42 - origanoides Lei dus Asrension origanoides Ball. = birephale Bestel. avalifolie : hl = frostrate CANI parvifeller Lei sp. pl. 35:14 hyperirifolig ? Lasse

parvifelle (N. Schrup 1286) = granulate

pedirulifera (. u.p. Jonorn

MISSOURI BOTANICAL copyright reserved GARDEN cm

! peplodifolia gag mes a diviran glubrian. Hart. - Septis Lin Sp. pl. 3517. perforata guss fl. Sir. Prod I. 540, Syrops I. 531 /\_ petaloriden E. Kansa, - Zega, Peters: ny mografique philipina gag suss. ihl : P. mirrophylle He. mer for. non Lawn., leg Commen !- prilosala C. Mexico - pil celifera Lin Sp. pl. 3511.

! Platensis gay mss = ammannioides
! platylepis Derne i Jargen Yoyage p. 156 pl. 157

! platylepis Derne i Jargen Yoyage p. 156 pl. 157

Walp Ann #. 620 ! podadania C. Sanama ! Toppigi Kl. ms Amajon = Bermann. ava - Pohli ny. Amit Bhe 2179 - HV. !- polyraspa Beuth. Bet Sulph p.49 Somon Muxico !- polyonemoides Hochst. i H. - polygonifolei Li Sp. pl. 3518 Hook A. bor. Au. II. p. 140. = glayptosper file Spering. Cole. Suppl 114. tal. 13 = maculate = michaux = gravilis Ell.

Pieber 157 f. Capeus. = setigera van Torsk H. aug. and 1775 p.XXVI no 223 = chemiesyre ?

polygonisperma God & Gren . For Fran III. 15 - sorping & polygonoides Hb. Will . 9285 = hypentifoli glabra = prendrikunger

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

Prorumbeas Link en. all.
2. p. 11. Grod I. 5398 H. Sirul. I. 5-31. Preslii goessone = hyperinfolis

prorumbers grown = 8. moulety Cat. Hord. Monsp. Poir Supl. V. 676

!- prostrutu extit Hort Rew. ed. 1789 p. 139. (1843) - Oseado - chamaesyre Ta Mry. Tibiria 18. Test. Th. ross III pduberadt Blume Tijdr. f. 635 A. S. etr Syn. 1852 V. 315 I pulchella HOSK. N.g. Sp. II. 45 hypenrifolig subjutegn gluba parpurasseus Schum & Thom - pilulifera file Hook Ping !- pyrnanthema E. Som GEORGE ENGELMAINN PAPERS !- radicaus Monio = serpens ramosissima HA AM. Bol Beech. 69. Sorietz island. - receive Hook fil. Jullopages Brusart. Linn, Sor, 20, 182 reniformis Bleme Java Fichith Syn. 1852 V. 315 repens Pers" - H. Armhant. M. Mexir. ! sexoluta E. · Chili & Life Ho. Mid. Holy 1- skylidisperme E. - rosea Aet obs. 4.26. &\$786) Ind. or. rotund folia Hook & An Dot Buchy Jaming gay flohit?

Sures rande bye

This and Slume Javin (hol. Knuth) = (thy miblin on pl

Chum. plant. Hort. Bog, h MISSOURI

BOTANICAL copyright reserved cm GARDEN

!- nupi rola Schede i Lina. 22. non Bois. = Fendlini Tombyn. sabulosa Hb Will 9294 = flexuosa Kth = buxifolis Lan !- Sanguinen Hochst & Mend. i Sched. satureivides Lacu. eur.

schizosepala non Chili

schizosepala non Chili

scroposifolia Jaog. In. pl. nan. III palls tab. 476 Africa

(1796) = villosissima Kl Selloviana Kl. mss. mysto - sticlospora senilis Kl. ms. 1\_ serpens HOSK. n.gmb sp. H. 41. (1817) serpi serpigleifolen Pers 1807 (ifthe same as last their name is older at must be retained. Serrela C. M. Mex. 443 = prostrets for grind.

Leornla C. M. Mex. 443 = prostrets for grind. serrelata Blum. Bijd. p. 635
Morflum. 7.17 = hypenriplin file Klosch

7: 1- setigen E. Meyn, C.C. Sp. Brye = imegulatera 1- setiloba C. a. sp. Celiforn. !- Sonoriensis E. usp. = Arizonia sordida Kle. mss. 2 Ho. Dolli. Mexico

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

!- stictosporn E. Harres. Wellex. Thoigon H & Am. Bot Deech 310 Tapit Mexitor Dout belighere
!- subscription C. Clif Org. fluinosibis
! Subscription Michella in hb. Will 9274 = hyperrifle & Peningland. fire Bietwich Feltensis Kle i Teter, Neise Mozembique Syn 1852 1. 315 ! – ten ella Hak. n.g. sp. tt. 42 prostrata At totam gay: Phyt. Can an. 11. 238. myso . Finniflom Kl. mss. - ob, ee, \_ Fermis Hamilton fite Setter Synops 1852 V. 315 hepal. tettensis til. : Teter Ruise Mojambig thymifolier Lin Sp. Hol. 3573. a Tigrides Bagdad hoë Me Soissier Agrentella E. Mexico Antanter No Comentosa Pers Jours I.B. Jord folia Jarg. MISSOURI BOTANICAL GARDEN :GEORGE ENGELMANN PAPERS !- trachysterma log. trichogena Sertol. n. com. Son. fr. 436t, 23. f.4. ! trichoides gog mes. Peru Jespens ?! (provible)

Deschor. p. 253 Hook fl. nig. p. 498.

tor nervia Schuma Thom = glacerophylla Lieb non Pois

trinervis Bestol H. Ital 5, 37 = hypersiph: Fire Hook H. nig


! tristigmation [: myero / Sumbellulate E. n. sp. eniflore Roab. H. hd II. 473 rosen ?

MISSOURI BOTANICAL cm copyright reserved GARDEN

!- urreolata E. Sonom Vachellii H& A. Dos Beech 1.213. China ! vahlis wiles. Hl. 9269 glabrate Vahl fel Cationity variegate \* Hegne & Roth fifth felety platylepist deliger of !- velleri flore ICP. ness : he Dul. meg iro # divira N= stirtuspore velligera Schauer, Lianaea 20 728 Mexer vertirillete flor Flum = piblifere file Klobsh !- villifere Scheele, Linn 22 ! \_ villosissima Klofulg i Hook Journ Plant Schombogh. viminen Hook fil Transact fir Son 20 p 183. wrlp. Ann I. 619. Albemare island ... thymifolis Forsk Kacqyst and. p. 94 (1885) = Inskelinger Pursh Mey. Chequebo Schingus And N. 755 = I cordifolier C. vaniget Sims. (Lowisiana) = marginate Bunh Evaninget Colle - Comerginets Hunch. 1. mysrut Host = 1. may but South

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

MISSOURI BOTANIGAL GALDEN.
GEORGE ENGELMANN PAPERS



Seemann Auton Heneld, vol V. 1856 (G Klotyah) Enjarberen Ryh, globernime kl Seemanni 200ts Prinsettis peduralete Ke

0 1 2 3 4 5 6 7 8 9 10

Copyright reserved

GARDEN

MISSOURI
BOTANICAL
GARDEN

